

CURSO DE POSGRADO

El rol de las divisorias térmicas en la evolución de las series y las clasificaciones

Docente: Dr Eugenio Aragón

Duración: 25 horas, distribuidos en tres días

Programa:

Primer día:

Magma y minerales petrogenéticos; feldespatos, plagioclasas, olivinas, piroxenos, minerales accesorios. Equilibrio sólido-líquido. Respuesta al incremento de presión, fugacidad de oxígeno y presión de agua.

Segundo día:

Curvas cotécticas, peritécticas y altos térmicos. Sistemas complejos de tres y cuatro componentes. Diagramas de fases de Ne-Si-Ol-Di, Ne-Si-Ol-An, An-Si-Ol-Di, Ne-An-Ol-Di, Ab-An-Ol-Di.

Tercer día:

Diagramas de clasificación TAS y R1-R2, proyección de los diagramas de equilibrio en los diagramas de clasificación. Efecto de los altos térmicos en los diagramas de clasificación. Zona de transicionalidad.

Conclusiones petrogenéticas a partir del TAS.

REFERENCIAS

- Bowen, N.L., 1914. The ternary system: diopside-forsterite-silica. *American Journal of Science*, **38**, 207-264.
- Brandle, J., and Nagy, G., 2000, *Igneous Data Base*. Subcommision on data Bases in Petrology. www.ige.csic.es/sdbp/sdbp.htm
- Cox, K.G., Bell, J.D. and Pankhurst R.J., 1979. *The Interpretation of Igneous Rocks*. George Allen & Unwin, London: pp 450
- De La Roche, H., Leterrier, J., Grandclaude, P. and Marchal, M., 1980. A classification of volcanic and plutonic rocks using R1, R2 - Diagram and major element analyses - Its relationships with current nomenclature. *Chemical Geology* **29**: 183-210.
- Fitton J.G. and B.G.J Upton, 1987. Alkaline Igneous Rocks. *Geological Society Special Publication No 30*: pp 567.
- Irvine, T.N., 1970. Crystallization sequences in the Muskok intrusion and other layered intrusions, I. Olivine-pyroxene-plagioclase relations. *Special Publication Geological Society of South Africa, No 1*: 441-476.
- Irvine, T.N. and Baragar, W.R.A., 1971. A Guide to the Chemical Classification of the Common Volcanic Rocks. *Canadian Journal of Earth Sciences* **8**, 523-542.
- Kushiro, I., 1972a. Determination of liquidus relations in synthetic silicate systems with electron probe analysis: the system forsterite-diopside-silica at 1 atmosphere. *American Mineralogist*, **57**, 1260-1271.
- Kushiro, I., 1972b. Effect of water on the composition of magmas formed at high pressures. *Journal of Petrology*, **13**, 311-334.

- Le Maitre, R. W., 1984. A proposal by the IUGS subcommission on the systematics of igneous rocks for a chemical classification of volcanic rocks based on the total alkali silica (TAS) diagram. *Australian Journal of Earth Sciences* **31**, 243-255.
- Miyashiro, Akiho, 1974. Volcanic rock series in island arcs and active continental margins. *American Journal of Science* **274**, April: 321-355.
- Morse, S.A., 1980. *Basalts and Phase Diagrams*. Springer-Verlag, New York: pp 493
- Platt, R.G and Edgar, A.D., 1972. The system nepheline-diopsid-silicate and its significance in the genesis of melilite and olivine bearing alkaline rocks. *Journal of Geology* **80**, 224-236.
- Presnall, D.C., Dixon, J.R., O'Donnell, T.H. and Dixon, S.A. 1979. Generation of mid-ocean ridge tholeiites. *Journal of Petrology* **20**, 3-36.
- Rollinson, H.R., 1993. *Using Geochemical Data: Evaluation, Presentation, Interpretation*. Longman Scientific & Technical, Essex, UK. Pp 352
- Schairer, J.F., 1938. The system leucite-diopsid-silica. *American Journal of Science*, **35A**, 289.
- Schairer, J.F., 1950. The alkali feldspar join in the system NaAlSiO₄-KAlSiO₄-SiO₂. *Journal of Geology* **58**, 512-517.
- Schairer, J.F. and Bowen, N.L., 1935. Preliminary report on equilibrium relations between feldspatoids, alkali-feldspars, and silica. *Transactions of the American Geophysical Union 16th Ann. Meeting*, Nat. Res. Concil, Washington, D.C.
- Schairer, J.F. and Bowen, N.L., 1942. The binary system CaSiO₃-diopsid and the relations between CaSiO₃ and akermanite. *American Journal of Science*, **240**, 725-742.
- Schairer, J.F. and Bowen, N.L., 1947. The system anortite-leucite-silica. *Comm. Geol. Finland Bull.*, **140**, 67-87.

Schairer, J.F. and Yoder, H.S. Jr., 1960. The Nature of residual liquids from crystallization, with data on the system nepheline-diopside-silica. *American Journal of Science*, **258A**, 273-283.

Schairer J.F. and Yoder H.S. Jr., 1961. Crystallization in the system nepheline-forsterite-silica at one atmosphere pressure. *Carnegie Institution of Washington Yearbook*, **60**, 141-144.

Schairer J.F. and Yoder H.S. Jr., 1964. Crystal and liquid trends in simplified alkali basalts. *Carnegie Institution of Washington Yearbook*, **63**, 65-74.

Schairer, J.F. and Yoder, H.S. Jr., 1962. The system diopside-enstatite-silica. *American Carnegie Institution of Washington Yearbook*, **61**, 75-82.

Schairer J.F. and Yoder H.S. Jr., 1971. The Joins Na₂O-5MgO-12SiO₂-sodium disilicate and 2Na₂O-3MgO-5SiO₂-sodium disilicate in the system Na₂O-MgO-SiO₂. *Carnegie Inst. Washington Yearb.*, **69**, 157-160.

Yoder, H.S. Jr., 1979. *The Evolution of Igneous Rocks*. Princeton University press, Princeton, New Jersey: pp 588

Yoder, H.S. Jr. and Tilley, C.E., 1962. Origin of basalt magmas: an experimental study of natural and synthetic rock systems. *Journal of Petrology*, **3**, 342-532.

Yoder H.S. Jr. and Velde, D., 1976. Importance of alkali content of magma yielding melilite-bearing rocks. *Carnegie Institution of Washington Yearbook*, **75**, 580-585.

Zanettin, B., (1984). Proposed new chemical classification of volcanic rocks. *Episodes*, Vol. 7, No 4, December: 19-20.